

State of Nevada

Department of Conservation and Natural Resources

Division of Environmental Protection

Certifies that

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118

Having met the requirements of the
Nevada Administrative Code: NAC 445A

is hereby approved to perform the analyses as indicated on the most recently issued parameter list which must accompany this certificate to be valid. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

Expiration Date: 7/31/2017

Certificate Number: NV009222017-1

Donald E. LaFara
Program Manager
Laboratory Certification Program



Digitally signed by

Don LaFara

Date: 2016.08.25

14:55:43 -07'00'

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: NV00922

Attachment to Certificate Number: NV009222017-1

Expiration Date: 7/31/2017

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: CWA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|----------------------|--|------------|--------------|-----------|
| Discipline Chemistry | | | | |
| EPA 120.1 | Conductivity | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1664A | n-Hexane Extractable Material (O&G) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1664A (SGT-HEM) | n-Hexane Extractable Material - Silica Gel Treated (HEM-SGT) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1664B | n-Hexane Extractable Material (O&G) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1664B (SGT-HEM) | n-Hexane Extractable Material - Silica Gel Treated (HEM-SGT) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 180.1 | Turbidity | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Aluminum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Antimony | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Arsenic | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Barium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Beryllium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Boron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Cadmium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Calcium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Calcium hardness as CaCO3 | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Chromium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Cobalt | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Copper | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Hardness by calculation | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Iron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Lead | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Lithium | 8/1/2016 | 7/31/2017 | Interim |
| EPA 200.7 | Magnesium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Manganese | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Molybdenum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Nickel | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Potassium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Selenium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Silica as SiO2 | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **CWA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|-----------|----------------|------------|--------------|-----------|
| EPA 200.7 | Silver | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Sodium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Strontium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Thallium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Tin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Titanium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Vanadium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Zinc | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Aluminum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Antimony | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Arsenic | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Barium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Beryllium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Boron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Cadmium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Calcium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Chromium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Cobalt | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Copper | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Iron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Lead | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Magnesium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Manganese | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Molybdenum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Nickel | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Potassium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Selenium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Silica as SiO2 | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Silver | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Sodium | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *CWA (Non Potable Water)*

| Method | Analyte | Start Date | Date Expires | Status |
|-----------|---|------------|--------------|-----------|
| EPA 200.8 | Strontium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Thallium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Tin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Titanium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Vanadium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Zinc | 8/1/2016 | 7/31/2017 | Certified |
| EPA 218.6 | Chromium VI | 8/1/2016 | 7/31/2017 | Certified |
| EPA 245.1 | Mercury | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Bromide | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Chloride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Fluoride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Nitrate as N | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Nitrate-nitrite | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Nitrite as N | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Orthophosphate as P | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Sulfate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 314.0 | Perchlorate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 365.3 | Orthophosphate as P | 8/1/2016 | 7/31/2017 | Certified |
| EPA 365.3 | Phosphorus, total | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | 4,4'-DDD | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | 4,4'-DDE | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | 4,4'-DDT | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Aldrin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | alpha-BHC (alpha-Hexachlorocyclohexane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | alpha-Chlordane (cis-Chlordane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Aroclor-1016 (PCB-1016) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Aroclor-1221 (PCB-1221) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Aroclor-1232 (PCB-1232) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Aroclor-1242 (PCB-1242) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Aroclor-1248 (PCB-1248) | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **CWA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|---------|---------------------------------------|------------|--------------|-----------|
| EPA 608 | Aroclor-1254 (PCB-1254) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Aroclor-1260 (PCB-1260) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | beta-BHC (beta-Hexachlorocyclohexane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Chlordane (tech.) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | delta-BHC | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Dieldrin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Endosulfan I | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Endosulfan II | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Endosulfan sulfate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Endrin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Endrin aldehyde | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | gamma-BHC (Lindane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Heptachlor | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Heptachlor epoxide | 8/1/2016 | 7/31/2017 | Certified |
| EPA 608 | Toxaphene (Chlorinated camphene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,1,1,2-Tetrachloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,1,1-Trichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,1,2,2-Tetrachloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,1,2-Trichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,1-Dichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,1-Dichloroethylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,2,3-Trichloropropane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,2,4-Trichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,2,4-Trimethylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,2-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,2-Dichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,2-Dichloropropane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,3,5-Trimethylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,3-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 1,4-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *CWA (Non Potable Water)*

| Method | Analyte | Start Date | Date Expires | Status |
|---------|---|------------|--------------|-----------|
| EPA 624 | 2-Butanone (Methyl ethyl ketone, MEK) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 2-Chloroethyl vinyl ether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 2-Hexanone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | 4-Methyl-2-pentanone (MIBK) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Acetone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Acrolein (Propenal) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Acrylonitrile | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Benzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Bromodichloromethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Bromoform | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Carbon disulfide | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Carbon tetrachloride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Chlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Chlorodibromomethane (Dibromochloromethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Chloroethane (Ethyl chloride) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Chloroform | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | cis-1,2-Dichloroethylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Dibromomethane (Methylene bromide) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Dichlorodifluoromethane (Freon-12) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Di-isopropylether (DIPE) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Ethylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Hexachlorobutadiene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | m+p-xylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Methyl bromide (Bromomethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Methyl chloride (Chloromethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Methyl tert-butyl ether (MTBE) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Methylene chloride (Dichloromethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Naphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | o-Xylene | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *CWA (Non Potable Water)*

| Method | Analyte | Start Date | Date Expires | Status |
|---------|---|------------|--------------|-----------|
| EPA 624 | Styrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | T-amylmethylether (TAME) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Tetrachloroethylene (Perchloroethylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Toluene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | trans-1,2-Dichloroethylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Trichloroethene (Trichloroethylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Vinyl chloride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 624 | Xylene (total) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 1,2,4,5-Tetrachlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 1,2,4-Trichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2,3,4,6-Tetrachlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2,4,5-Trichlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2,4,6-Trichlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2,4-Dichlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2,4-Dimethylphenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2,4-Dinitrophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2,4-Dinitrotoluene (2,4-DNT) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2,6-Dinitrotoluene (2,6-DNT) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2-Chloronaphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2-Chlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2-Methylnaphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2-Methylphenol (o-Cresol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2-Nitroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 2-Nitrophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 3 & 4-Methylphenol (m & p-Cresol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 3,3'-Dichlorobenzidine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 3-Methylphenol | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: NV00922

Attachment to Certificate Number: NV009222017-1

Expiration Date: 7/31/2017

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: CWA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|---------|---|------------|--------------|-----------|
| EPA 625 | 3-Nitroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 4-Bromophenyl phenyl ether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 4-Chloro-3-methylphenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 4-Chloroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 4-Chlorophenyl phenylether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 4-Methylphenol (p-Cresol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 4-Nitroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | 4-Nitrophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Acenaphthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Acenaphthylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Aniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Anthracene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Benzidine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Benzo(a)anthracene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Benzo(a)pyrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Benzo(b)fluoranthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Benzo(g,h,i)perylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Benzo(k)fluoranthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Benzoic acid | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Benzyl alcohol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | bis(2-Chloroethoxy)methane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | bis(2-Chloroethyl) ether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | bis(2-Chloroisopropyl) ether, (2,2'-Oxybis(1-chloropropane)) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Butyl benzyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Carbazole | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Chrysene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Dibenz(a,h) anthracene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Dibenzofuran | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Diethyl phthalate | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **CWA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|-----------|--|------------|--------------|-----------|
| EPA 625 | Dimethyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Di-n-butyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Di-n-octyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Fluoranthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Fluorene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Hexachlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Hexachlorobutadiene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Hexachlorocyclopentadiene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Hexachloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Indeno(1,2,3-cd) pyrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Isophorone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Naphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Nitrobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | n-Nitrosodimethylamine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | n-Nitrosodi-n-propylamine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | n-Nitrosodiphenylamine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Pentachlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Phenanthrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Phenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Pyrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 625 | Pyridine | 8/1/2016 | 7/31/2017 | Certified |
| SM 2130 B | Turbidity | 8/1/2016 | 7/31/2017 | Certified |
| SM 2320 B | Alkalinity as CaCO3 | 8/1/2016 | 7/31/2017 | Certified |
| SM 2340 B | Calcium hardness as CaCO3 | 8/1/2016 | 7/31/2017 | Certified |
| SM 2340 B | Hardness by calculation | 8/1/2016 | 7/31/2017 | Certified |
| SM 2510 B | Conductivity | 8/1/2016 | 7/31/2017 | Certified |
| SM 2540 B | Residue-total, dissolved and suspended | 8/1/2016 | 7/31/2017 | Certified |
| SM 2540 C | Residue-filterable (TDS) | 8/1/2016 | 7/31/2017 | Certified |
| SM 2540 D | Residue-nonfilterable (TSS) | 8/1/2016 | 7/31/2017 | Certified |
| SM 2540 F | Residue-settleable | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: NV00922

Attachment to Certificate Number: NV009222017-1

Expiration Date: 7/31/2017

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: CWA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|--|----------------------------|------------|--------------|-----------|
| SM 3500-Cr B | Chromium VI | 8/1/2016 | 7/31/2017 | Certified |
| SM 3500-Cr C | Chromium VI | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Bromide | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Chloride | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Fluoride | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Nitrate as N | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Nitrate-nitrite | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Nitrite as N | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Orthophosphate as P | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Sulfate | 8/1/2016 | 7/31/2017 | Certified |
| SM 4500-H+ B | pH | 8/1/2016 | 7/31/2017 | Certified |
| SM 4500-NO ₃ ⁻ F | Nitrate-N (by calculation) | 8/1/2016 | 7/31/2017 | Certified |
| SM 4500-NO ₃ ⁻ F | Nitrate-nitrite | 8/1/2016 | 7/31/2017 | Certified |
| SM 4500-NO ₃ ⁻ F | Nitrite as N | 8/1/2016 | 7/31/2017 | Certified |
| SM 4500-P E | Orthophosphate as P | 8/1/2016 | 7/31/2017 | Certified |
| SM 4500-P E | Phosphorus, total | 8/1/2016 | 7/31/2017 | Certified |
| SM 5310 C | Total organic carbon | 8/1/2016 | 7/31/2017 | Certified |
| Discipline Microbiology | | | | |
| IDEXX Quanti-Tray® using Colilert®-18Hr® | E. coli enumeration | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *RCRA (Non Potable Water)*

| Method | Analyte | Start Date | Date Expires | Status |
|----------------------|----------------------------|------------|--------------|-----------|
| Discipline Chemistry | | | | |
| EPA 314.0M | Perchlorate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Aluminum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Antimony | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Arsenic | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Barium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Beryllium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Boron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Cadmium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Calcium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Chromium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Cobalt | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Copper | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Iron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Lead | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Lithium | 8/1/2016 | 7/31/2017 | Interim |
| EPA 6010 | Magnesium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Manganese | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Molybdenum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Nickel | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Potassium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Selenium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Silica as SiO ₂ | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Silver | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Sodium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Strontium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Thallium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Tin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Titanium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Vanadium | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: NV00922

Attachment to Certificate Number: NV009222017-1

Expiration Date: 7/31/2017

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *RCRA (Non Potable Water)*

| Method | Analyte | Start Date | Date Expires | Status |
|----------|-------------|------------|--------------|-----------|
| EPA 6010 | Zinc | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Aluminum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Antimony | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Arsenic | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Barium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Beryllium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Boron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Cadmium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Calcium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Chromium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Cobalt | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Copper | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Iron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Lead | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Magnesium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Manganese | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Molybdenum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Nickel | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Potassium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Selenium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Silver | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Sodium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Strontium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Thallium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Tin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Titanium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Vanadium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Zinc | 8/1/2016 | 7/31/2017 | Certified |
| EPA 7196 | Chromium VI | 8/1/2016 | 7/31/2017 | Certified |
| EPA 7199 | Chromium VI | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *RCRA (Non Potable Water)*

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 7470 | Mercury | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8015 | Diesel range organics (DRO) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8015 | Gasoline range organics (GRO) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | 4,4'-DDD | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | 4,4'-DDE | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | 4,4'-DDT | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Aldrin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | alpha-BHC (alpha-Hexachlorocyclohexane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | alpha-Chlordane (cis-Chlordane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | beta-BHC (beta-Hexachlorocyclohexane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Chlordane (tech.) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | delta-BHC | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Dieldrin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endosulfan I | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endosulfan II | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endosulfan sulfate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endrin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endrin aldehyde | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endrin ketone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | gamma-BHC (Lindane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | gamma-Chlordane (trans-Chlordane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Heptachlor | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Heptachlor epoxide | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Methoxychlor | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Toxaphene (Chlorinated camphene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1016 (PCB-1016) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1016 in Oil (PCB-1016 in Oil) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1221 (PCB-1221) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1232 (PCB-1232) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1242 (PCB-1242) | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *RCRA (Non Potable Water)*

| Method | Analyte | Start Date | Date Expires | Status |
|----------|--|------------|--------------|-----------|
| EPA 8082 | Aroclor-1242 in Oil (PCB-1242 in Oil) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1248 (PCB-1248) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1254 (PCB-1254) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1254 in Oil (PCB-1254 in Oil) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1260 (PCB-1260) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1260 in Oil (PCB-1260 in Oil) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | PCB Aroclor Identification (PCBs as Aroclors) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | PCBs In Oil | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,1,2-Tetrachloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,1-Trichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,2,2-Tetrachloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,2-Trichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1-Dichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1-Dichloroethylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1-Dichloropropene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2,3-Trichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2,3-Trichloropropane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2,4-Trichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2,4-Trimethylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dibromoethane (EDB, Ethylene dibromide) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dichloropropane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,3,5-Trimethylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,3-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,3-Dichloropropane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,4-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 2,2-Dichloropropane | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **RCRA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|--|------------|--------------|-----------|
| EPA 8260 | 2-Butanone (Methyl ethyl ketone, MEK) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 2-Chloroethyl vinyl ether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 2-Chlorotoluene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 2-Hexanone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 4-Chlorotoluene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 4-Isopropyltoluene (p-Cymene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 4-Methyl-2-pentanone (MIBK) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Acetone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Acrolein (Propenal) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Acrylonitrile | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Benzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Bromobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Bromochloromethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Bromodichloromethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Bromoform | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Carbon disulfide | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Carbon tetrachloride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Chlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Chlorodibromomethane (Dibromochloromethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Chloroethane (Ethyl chloride) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Chloroform | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | cis-1,2-Dichloroethylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Dibromomethane (Methylene bromide) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Dichlorodifluoromethane (Freon-12) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Di-isopropylether (DIPE) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Ethylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Hexachlorobutadiene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Isopropylbenzene | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **RCRA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8260 | m+p-xylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Methyl bromide (Bromomethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Methyl chloride (Chloromethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Methyl tert-butyl ether (MTBE) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Methylene chloride (Dichloromethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Naphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | n-Butylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | n-Propylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | o-Xylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | sec-Butylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Styrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | T-amylmethylether (TAME) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | tert-Butyl alcohol (TBA) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | tert-Butylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Tetrachloroethylene (Perchloroethylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Toluene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | trans-1,2-Dichloroethylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Trichloroethene (Trichloroethylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Vinyl chloride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Xylene (total) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,2,4,5-Tetrachlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,2,4-Trichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,2-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,3-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,4-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,3,4,6-Tetrachlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4,5-Trichlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4,6-Trichlorophenol | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **RCRA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8270 | 2,4-Dichlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4-Dimethylphenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4-Dinitrophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4-Dinitrotoluene (2,4-DNT) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,6-Dinitrotoluene (2,6-DNT) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Chloronaphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Chlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Methylnaphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Methylphenol (o-Cresol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Nitroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Nitrophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 3 & 4-Methylphenol (m & p-Cresol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 3,3'-Dichlorobenzidine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 3-Nitroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Bromophenyl phenyl ether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Chloro-3-methylphenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Chloroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Chlorophenyl phenylether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Methylphenol (p-Cresol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Nitroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Nitrophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Acenaphthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Acenaphthylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Aniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Anthracene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzidine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzo(a)anthracene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzo(a)pyrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzo(b)fluoranthene | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *RCRA (Non Potable Water)*

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8270 | Benzo(g,h,i)perylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzo(k)fluoranthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzoic acid | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzyl alcohol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | bis(2-Chloroethoxy)methane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | bis(2-Chloroethyl) ether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | bis(2-Chloroisopropyl) ether, (2,2'-Oxybis(1-chloropropane)) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Butyl benzyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Carbazole | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Chrysene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Dibenz(a,h) anthracene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Dibenzofuran | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Diethyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Dimethyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Di-n-butyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Di-n-octyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Fluoranthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Fluorene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Hexachlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Hexachlorobutadiene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Hexachlorocyclopentadiene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Hexachloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Indeno(1,2,3-cd) pyrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Isophorone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Naphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Nitrobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | n-Nitrosodimethylamine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | n-Nitrosodi-n-propylamine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | n-Nitrosodiphenylamine | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: NV00922

Attachment to Certificate Number: NV009222017-1

Expiration Date: 7/31/2017

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *RCRA (Non Potable Water)*

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---------------------|------------|--------------|-----------|
| EPA 8270 | Pentachlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Phenanthrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Phenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Pyrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Pyridine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 9056 | Bromide | 8/1/2016 | 7/31/2017 | Certified |
| EPA 9056 | Fluoride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 9056 | Nitrate as N | 8/1/2016 | 7/31/2017 | Certified |
| EPA 9056 | Nitrite as N | 8/1/2016 | 7/31/2017 | Certified |
| EPA 9056 | Orthophosphate as P | 8/1/2016 | 7/31/2017 | Certified |
| EPA 9056 | Sulfate | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **RCRA (Solid & Waste Materials)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------------------|---------------------------|------------|--------------|-----------|
| Discipline Chemistry | | | | |
| EPA 1020 | Ignitability | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1311-Metals | TCLP extracted Metals | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1311-Pest | TCLP extracted Pesticides | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1311-SOCs | TCLP extracted SOCs | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1311-VOCs | TCLP extracted VOCs | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1312-Metals | SPLP extracted Metals | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1312-SOCs | SPLP extracted SOCs | 8/1/2016 | 7/31/2017 | Certified |
| EPA 1312-VOCs | SPLP extracted VOCs | 8/1/2016 | 7/31/2017 | Certified |
| EPA 314.0M | Perchlorate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Aluminum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Antimony | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Arsenic | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Barium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Beryllium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Boron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Cadmium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Calcium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Chromium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Cobalt | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Copper | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Iron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Lead | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Magnesium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Manganese | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Molybdenum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Nickel | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Potassium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Selenium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Silver | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **RCRA (Solid & Waste Materials)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|------------|------------|--------------|-----------|
| EPA 6010 | Sodium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Strontium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Thallium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Tin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Titanium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Vanadium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6010 | Zinc | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Aluminum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Antimony | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Arsenic | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Barium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Beryllium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Boron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Cadmium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Calcium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Chromium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Cobalt | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Copper | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Iron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Lead | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Magnesium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Manganese | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Molybdenum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Nickel | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Potassium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Selenium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Silver | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Sodium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Strontium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Thallium | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *RCRA (Solid & Waste Materials)*

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 6020 | Tin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Titanium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Vanadium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 6020 | Zinc | 8/1/2016 | 7/31/2017 | Certified |
| EPA 7196 | Chromium VI | 8/1/2016 | 7/31/2017 | Certified |
| EPA 7199 | Chromium VI | 8/1/2016 | 7/31/2017 | Certified |
| EPA 7471 | Mercury | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8015 | Diesel range organics (DRO) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8015 | Gasoline range organics (GRO) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | 4,4'-DDD | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | 4,4'-DDE | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | 4,4'-DDT | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Aldrin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | alpha-BHC (alpha-Hexachlorocyclohexane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | alpha-Chlordane (cis-Chlordane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | beta-BHC (beta-Hexachlorocyclohexane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Chlordane (tech.) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | delta-BHC | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Dieldrin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endosulfan I | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endosulfan II | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endosulfan sulfate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endrin | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endrin aldehyde | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Endrin ketone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | gamma-BHC (Lindane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | gamma-Chlordane (trans-Chlordane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Heptachlor | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Heptachlor epoxide | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8081 | Methoxychlor | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: NV00922

Attachment to Certificate Number: NV009222017-1

Expiration Date: 7/31/2017

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: RCRA (Solid & Waste Materials)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|--|------------|--------------|-----------|
| EPA 8081 | Toxaphene (Chlorinated camphene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1016 (PCB-1016) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1016 in Oil (PCB-1016 in Oil) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1221 (PCB-1221) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1232 (PCB-1232) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1242 (PCB-1242) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1242 in Oil (PCB-1242 in Oil) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1248 (PCB-1248) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1254 (PCB-1254) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1254 in Oil (PCB-1254 in Oil) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1260 (PCB-1260) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | Aroclor-1260 in Oil (PCB-1260 in Oil) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8082 | PCBs In Oil | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,1,2-Tetrachloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,1-Trichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,2,2-Tetrachloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1,2-Trichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1-Dichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1-Dichloroethylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,1-Dichloropropene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2,3-Trichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2,3-Trichloropropane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2,4-Trichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2,4-Trimethylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dibromoethane (EDB, Ethylene dibromide) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dichloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,2-Dichloropropane | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *RCRA (Solid & Waste Materials)*

| Method | Analyte | Start Date | Date Expires | Status |
|----------|--|------------|--------------|-----------|
| EPA 8260 | 1,3,5-Trimethylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,3-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,3-Dichloropropane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 1,4-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 2,2-Dichloropropane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 2-Butanone (Methyl ethyl ketone, MEK) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 2-Chlorotoluene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 2-Hexanone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 4-Chlorotoluene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 4-Isopropyltoluene (p-Cymene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | 4-Methyl-2-pentanone (MIBK) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Acetone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Benzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Bromobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Bromochloromethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Bromodichloromethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Bromoform | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Carbon disulfide | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Carbon tetrachloride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Chlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Chlorodibromomethane (Dibromochloromethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Chloroethane (Ethyl chloride) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Chloroform | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | cis-1,2-Dichloroethylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Dibromomethane (Methylene bromide) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Dichlorodifluoromethane (Freon-12) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Di-isopropylether (DIPE) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Ethylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane) | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: NV00922

Attachment to Certificate Number: NV009222017-1

Expiration Date: 7/31/2017

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: RCRA (Solid & Waste Materials)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8260 | Hexachlorobutadiene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Isopropylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | m+p-xylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Methyl bromide (Bromomethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Methyl chloride (Chloromethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Methyl tert-butyl ether (MTBE) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Methylene chloride (Dichloromethane) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Naphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | n-Butylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | n-Propylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | o-Xylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | sec-Butylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Styrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | T-amylmethylether (TAME) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | tert-Butyl alcohol (TBA) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | tert-Butylbenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Tetrachloroethylene (Perchloroethylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Toluene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | trans-1,2-Dichloroethylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Trichloroethene (Trichloroethylene) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Vinyl chloride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8260 | Xylene (total) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,2,4,5-Tetrachlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,2,4-Trichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,2-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,3-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 1,4-Dichlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,3,4,6-Tetrachlorophenol | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *NV00922*

Attachment to Certificate Number: *NV009222017-1*

Expiration Date: *7/31/2017*

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: *RCRA (Solid & Waste Materials)*

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8270 | 2,4,5-Trichlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4,6-Trichlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4-Dichlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4-Dimethylphenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4-Dinitrophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,4-Dinitrotoluene (2,4-DNT) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2,6-Dinitrotoluene (2,6-DNT) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Chloronaphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Chlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Methylnaphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Methylphenol (o-Cresol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Nitroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 2-Nitrophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 3 & 4-Methylphenol (m & p-Cresol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 3,3'-Dichlorobenzidine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 3-Nitroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Bromophenyl phenyl ether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Chloro-3-methylphenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Chloroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Chlorophenyl phenylether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Methylphenol (p-Cresol) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Nitroaniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | 4-Nitrophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Acenaphthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Acenaphthylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Aniline | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Anthracene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzdine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzo(a)anthracene | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **RCRA (Solid & Waste Materials)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8270 | Benzo(a)pyrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzo(b)fluoranthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzo(g,h,i)perylene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzo(k)fluoranthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzoic acid | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Benzyl alcohol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | bis(2-Chloroethoxy)methane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | bis(2-Chloroethyl) ether | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | bis(2-Chloroisopropyl) ether, (2,2'-Oxybis(1-chloropropane)) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate) | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Butyl benzyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Carbazole | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Chrysene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Dibenz(a,h) anthracene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Dibenzofuran | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Diethyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Dimethyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Di-n-butyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Di-n-octyl phthalate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Fluoranthene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Fluorene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Hexachlorobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Hexachlorobutadiene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Hexachlorocyclopentadiene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Hexachloroethane | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Indeno(1,2,3-cd) pyrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Isophorone | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Naphthalene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Nitrobenzene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | n-Nitrosodimethylamine | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **RCRA (Solid & Waste Materials)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---------------------------|------------|--------------|-----------|
| EPA 8270 | n-Nitrosodi-n-propylamine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | n-Nitrosodiphenylamine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Pentachlorophenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Phenanthrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Phenol | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Pyrene | 8/1/2016 | 7/31/2017 | Certified |
| EPA 8270 | Pyridine | 8/1/2016 | 7/31/2017 | Certified |
| EPA 9045 | Corrosivity (pH) | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: NV00922

Attachment to Certificate Number: NV009222017-1

Expiration Date: 7/31/2017

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **SDWA (Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|------------|---------------------------|------------|--------------|-----------|
| Discipline | Chemistry | | | |
| EPA 150.1 | pH | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Aluminum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Barium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Beryllium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Boron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Cadmium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Calcium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Calcium hardness as CaCO3 | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Chromium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Copper | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Hardness by calculation | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Iron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Magnesium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Manganese | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Nickel | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Potassium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Silica as SiO2 | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Silver | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Sodium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.7 | Zinc | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Aluminum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Antimony | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Arsenic | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Barium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Beryllium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Boron | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Cadmium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Chromium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Copper | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: NV00922

Attachment to Certificate Number: NV009222017-1

Expiration Date: 7/31/2017

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **SDWA (Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|-----------|-------------------------------------|------------|--------------|-----------|
| EPA 200.8 | Lead | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Manganese | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Molybdenum | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Nickel | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Selenium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Silver | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Thallium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Uranium (Nat.) Activity, Calculated | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Uranium (Nat.) Total Mass | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Vanadium | 8/1/2016 | 7/31/2017 | Certified |
| EPA 200.8 | Zinc | 8/1/2016 | 7/31/2017 | Certified |
| EPA 218.7 | Chromium VI | 8/1/2016 | 7/31/2017 | Certified |
| EPA 245.1 | Mercury | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Chloride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Fluoride | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Nitrate as N | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Nitrite as N | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Orthophosphate as P | 8/1/2016 | 7/31/2017 | Certified |
| EPA 300.0 | Sulfate | 8/1/2016 | 7/31/2017 | Certified |
| EPA 314.0 | Perchlorate | 8/1/2016 | 7/31/2017 | Certified |
| SM 2320 B | Alkalinity as CaCO3 | 8/1/2016 | 7/31/2017 | Certified |
| SM 2340 B | Calcium hardness as CaCO3 | 8/1/2016 | 7/31/2017 | Certified |
| SM 2340 B | Hardness by calculation | 8/1/2016 | 7/31/2017 | Certified |
| SM 2510 B | Conductivity | 8/1/2016 | 7/31/2017 | Certified |
| SM 2540 C | Residue-filterable (TDS) | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Chloride | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Chloride | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Fluoride | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Nitrate as N | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Nitrite as N | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00922**

Attachment to Certificate Number: **NV009222017-1**

Expiration Date: **7/31/2017**

ASSET Laboratories

3151-3153 W. Post Rd Las Vegas, NV 89118-

Matrix: **SDWA (Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|---|--------------------------------|------------|--------------|-----------|
| SM 4110 B | Orthophosphate as P | 8/1/2016 | 7/31/2017 | Certified |
| SM 4110 B | Sulfate | 8/1/2016 | 7/31/2017 | Certified |
| SM 4500-H+ B | pH | 8/1/2016 | 7/31/2017 | Certified |
| SM 5310 C | Dissolved organic carbon (DOC) | 8/1/2016 | 7/31/2017 | Certified |
| Discipline Microbiology | | | | |
| IDEXX Colilert®-18 | Escherichia coli | 8/1/2016 | 7/31/2017 | Certified |
| IDEXX Colilert®-18 | Total coliforms | 8/1/2016 | 7/31/2017 | Certified |
| IDEXX Quanti-Tray® with Colilert®-18 under SWTR | E. coli enumeration | 8/1/2016 | 7/31/2017 | Certified |
| IDEXX Quanti-Tray® with Colilert®-18 under SWTR | Total Coliform Enumeration | 8/1/2016 | 7/31/2017 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.